## EAST Search History

## EAST Search History (Prior Art)

Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2831	CodorSS or colourSS) and (toneSS) and (userSS with parameterSS) and (imageSS nearS (conventSC or conventSS))	US PGPUB; USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 16:33
22	2072	colorSS or colourSS) and (toneSS) and (userS3 with parameterSS) and (imageRS) near 5 (conventSS or conventSS)) and (pixeRSS)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:51
33	856	(color\$5 or colour\$5) and (ton\$5) and (user\$3 with parameter\$5) and (image\$5 near5 (conven\$5 or conven\$6)) and (pixel\$5) and (monochrom\$5)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:52
34	357	(color\$5 or colour\$5) and (ton\$63) and (user\$3 with parameter\$5) and (image\$3 near5 (conven\$5) or conven\$5)) and (pixe\$5) and (inconcinron\$\$) and (condidat\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:53
95	90	(color\$5 or colour\$5) nead 5 (cone\$5)) and (user\$3 with parameter\$5) and (image\$5 nead 5 (convert\$3 or conver\$5)) and (pixe\$5) and (morochrom\$5) and (cardidad\$5)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:54
36	33	(IcolofS or colour\$5) nead 5 (tons\$51) and (uses\$3 with parameter\$5) and (image\$3 nead 5 (convert\$3 or convert\$5)) and (pulse\$5) and (improchrom\$5) and (condidad\$5 nead 5 parameter\$5)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:55
37	33	(Icolof5 or colour55) nead 5 (tone55)) and (user53 with parameter55) and (image55 nead 5 (convert53 or convert56)) and (pixel55) and (morochrom55) and (cardidad55 nead5 parameter55) and (light55)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 16:57
38	1	(color\$5 or colour\$5) near\$ (rone\$3)) and (usex\$3 with parameter\$5) and (image\$3 near\$ (convent\$3 or conven\$5)) and (puse\$5) and ((monochronit\$5) with (candidat\$5 near\$ parameter\$5))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR .		2010/03/10 17:01
9	16043	(caled(55 or choos)5 or choos)5) need parameter(5) and (color)3 or colour(5) and (pine(5))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR .		2010/03/10 17:03
310	3556	(saled\$5 or chos\$5 or chos\$5) near5 parameter\$3) and (colos\$3 or colour\$3) and (pixe\$5) and (thos\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:03
311	1212	(loadedSS or choosSS or choosSS) need parameter(S) and (cobosS or colour(S) and (pine(S) and (tone(S) and (monochront(S))	US POPUB; USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:04

12	503	(salectS5 or choos5 or choos5) nead parameter(\$3) and (posis\$5) and ((color\$3 or colour\$3) nead ((tone\$5)) and (monochront\$5)	USPAT; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:05
13	В	paled\$5 or choo\$5 or choo\$5) nead5 parameter(\$3) and (pixel\$5) and ((color\$5 or colour\$5) nead5 (tone\$5)) and (monochron\$5) and (candidat\$5 nead5 parameter(\$5)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:06
14	1125	((cricn\$5 or colour\$5) near\$ ((crin\$51)) and ((select or choo\$5 or choo\$5) near\$ (parameter\$59)	USPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:41
15	441	(color\$5 or colour\$5) near\$ (cons\$3)) and ((select or chos\$5 or chos\$5) near\$ (parameter\$9)) and ((color\$5 or colour\$5) with pixe\$\$5)	USPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:43
16	167	(color\$5 or colour\$5) near\$ (cons\$31) and ((select or choo\$5 or choo\$5) near\$ (parameter\$5)) and ((color\$5 or colour\$5) with pixel\$5) and (monochrom\$5)	USPGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:43
17	2	(colof5 or colour\$5) near\$ (cons\$3)) and ((select or choo\$5 or choo\$6) near\$ (parameter\$5)) and ((colof\$5 or colour\$5) with pix4\$5) and (monochrom\$5) and (modification\$5 with candidate\$5 with parameter\$5).	US-PGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:47
18	61	(modification(5) with candidate(5) with parameter(5)	US PGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:48
19	6	(color\$5 or colour\$5) near\$ (lore\$51)) and ((select or choo\$5 or choo\$5) near\$ (parameter\$5)) and ((color\$5 or colour\$5) with pixel\$5) and (monochron\$5) and (candidate\$5 with parameter\$5)	US PGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:48
20	113	(color\$5 or colour\$5) near\$ (cons\$37) and ((select or choo\$5 or choo\$55) near\$ (parameter\$5)) and ((color\$5 or colour\$5) with pixel\$5) and (monochrom\$5) and (mages\$3 near\$ (conver\$5\$ or conver\$5\$))	USPGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:49
21	112	(locios5 or colour\$5) neads (trank\$5)) and ((select or choo\$5 or choo\$5) neads (parameter\$5)) and ((color\$5 or colour\$5) with phie\$5) and (improchrom\$5) and (images\$3 neads (conver\$5 or conver\$56)) and (images\$4 neads (conver\$5 or conver\$56)) and (images\$5 neads (conver\$5 or conver\$5 or conver	USPGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 17:50
22	68	(looks5 or colour\$5) nead * (mek\$5) and (lelect or chook\$5 or chook\$5) nead (parameter\$5)) and ((look\$5 or colour\$5) with phiel\$5) and (monochrom\$5 nead imag\$5) and (imag\$5)	USPOPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWIENT; IBM_TDB	OR .	ON	2010/03/10 17:51
23	10	(lociod5 or colour\$5) nead ((mok\$3)) nead (lowe\$3) nead (lociod\$6 or choos\$6) nead (parameter\$6)) and ((lociod\$6 or colour\$6) with phiei\$5) and (monochrom\$6 nead imag\$5) and (image\$3 nead (lociod\$6 or colour\$6)) and ((lociod\$6 or colour\$6) nead imag\$5) and (lociod\$6 or colour\$6) nead imag\$5) and (lociod\$6 or colour\$6) nead imag\$5)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/10 17:53

24	21489	359  1,1,21,6,19,2,12,89,301,3,12,3,1,3,1,3,12,3,2,3,21,3,22,3,23,26,3,27,111,500,501,515,516,517,518,519,520,521,523,524,526,527,526,530)  CQLS	US PGPUB; USPAT; USOCR, FFRS; EPC, JPO; DERWENT; (BM_TDB	OR	OFF	2010/03/11 10:03
25	6563	(362 162 163 164 165 166 167) COLS	(US PGPUB) (USPAT) (USOCR) FFRS) (EPC) JPO; (DERWENT) (IBM_TDB	OR	OFF	2010/03/11 10:04
26	816	(99) 93-54, 112-104, 163-269-321 (94), CQLS	US POPUB; USPAT; USOCR; FFRS; EPC; JPC; DERWENT; IBM_TDB	OR	OFF	2010/03/11 10:05
27	1746	(947115,172,228),QQS.	(US PGPUB) (USPAT) (USOCR) FFRS) (EPC) JPO; (DERWIENT) (IBM_TDB	OR	OFF	2010/03/11 10:05
28	28541	34 a 35 a 35 a 35	US POPUB; USPAT; USOCR; FFRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:06
29	2833	(colors or colors 5) and (tons 63) and (tons 63) with parameter 55) and (images) near 5 (convents or convents 51)	US POPUB; USPAT; USCOR, FIRS; EPO, JPO; DERWENT; IBM_TDB	CR	ON	2010/03/11 10:06
230	563	SB and SS9	US POPUB; USPAT; USCOR, FFRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:06
31	2074	(color55 or colour55) and (cons\$3) and (coas\$3 with parameter55) and (image\$3 next 5 (convert\$5 or convert\$5)) and (pixel\$5)	(US PGPUB) (USPAT) (USOCR, FFRS) (EPC), JPO; (DERWENT) (IBM_TDB	OR	ON	2010/03/11 10:07
32	442	528 and S31	US POPUB; USPAT; USOCR; FFRS; EPC; JPO; DERWIENT; IBM_TDB	OR	ON	2010/03/11 10:07
33	856	color55 or colour55) and (lora65) and (losa53 with parameter55) and (inage52 near5 (convent53 or convent55)) and (pixel55) and (monochront55)		OR	ON	2010/03/11 10:07
34	152	SB and SI3		OR	ON	2010/03/11 10:07
35	357	color55 or colour55) and (tone53) and (tone53 with parameter55) and (imageS2 near5 (conven53 or conven55)) and (pixel55) and (monochronis5) and (candida55)		OR .	ON	2010/03/11 10:08

336		S39 and S15	USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:08
37	90	(color55 or colour55) neads (cone\$3)) and (user\$3 with paramete(\$5) and (image\$3 neads (convert\$3 or convert\$5)) and (plos\$5) and (monochronit\$5) and (condition\$5)	USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:09
38	18	S89 and S97	US PGPUB; USPAT; USOCR, FFPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:09
39	33	((color(5) near5 (core(5))) and (user(5) with parameter(5)) and (image(5) near5 (convent(5) or convent(5)) and (plan(55) and (monochron(55)) and (conditio(55 near5 parameter(5))	US PGPUB; USPAT; USOCR; FFPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:09
40	2	528 and S19	US PGPUB; USPAT; USOCR, FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:09
¥1	33	(colorSor colourSo) nead (loneSS)) and (userSS with parameterSS) and (imageSS nead ConvertSS or conversSS)) and (pixelSS) and (incrochrontSS) and (candidaSS nead parameterSS) and (lightSS)	US PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:11
42	2	588 and Sri	US PGPUB; USPAT; USOCR, FFPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:11
43	16064	(lededS5 or choosS5) near5 parameter(3)) and (color(3) or colour(3)) and (pixel(35))	USPGPUB; USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:12
344	1280	S8 ad S9	US PGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:12
¥5	3560	(lededSS or choosSS) near5 parameterSS) and (colorS) or colou+SS) and (pixeSS) and (pixeSS)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:12
46	748	58 and 9/5		OR	ON	2010/03/11 10:12
47	1212	(lededS5 or choos5 or choos55) near5 parameter(S3) and (color3) or colous(S3) and (pine35) and (monochrom55)		OR	ON	2010/03/11 10:13

48	237	S8 and S47	uspat; usocr; ffrs; epo; jpo; derwent; ibm_tdb	OR	ON	2010/03/11 10:13
49	503	[JeladoSo or choosSo or direct(5) near5 parameter(3)) and (pinal(5)) and ((color(3) or colour(5)) near5 (time(65))) and (monochrom(5))	US PGPLB; USPAT; USCOR, FFRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:13
50	149	58 and S49	US POPUB; USPAT; USCOR, FFRS; EPO, JPO; DERWENT; JBM_TDB	OR	ON	2010/03/11 10:13
51	8	(palad\$5 or choo\$5 or dhoo\$9) nead parameter\$3) and (ploa(\$5) and (ploa(\$3) or colour\$3) nead (tone(\$5)) and (monochrom(\$5) and (candidat(\$5 nead parameter\$5))	(US PGPUB) (USPAT) (USOCR, FFRS) (EPO, JPO) (DERWENT) (BM_TDB	OR	ON	2010/03/11 10:35
52	3	S8 av S1	US PGPUB; USPAT; USCOR; FFRS; EPO; JPO; DEFWENT; IBM_TDB	OR .	ON	2010/03/11 10:35
53	1127	(izdofS or coloufS) nead (toniSS)) and ((select or chosSS or chosSS) nead (parameterS9))	US POPUB; USPAT; USOCR, FFRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:37
54	250	\$28 and \$3.0	(US PCPUB) (USPAT; (USOCR, FFRS; (EPC, JPC) (DERWENT; (BM_TDB	OR	ON	2010/03/11 10:37
55	442	(color\$5 or colour\$5) nead (tone\$5)) and ((select or chos\$5 or chos\$5) nead (garanteler\$5)) and ((color\$5 or colour\$5) with pixe\$\$5)	(US PCPUB) (USPAT; (USOCR; FFRS; (EPC; JPC); (DERWENT; (BM_TDB	OR .	ON	2010/03/11 10:37
56	165	S8 and S55	US PGPUB; USPAT; USOCR, FFRS; EPO, JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:37
57	167	(color\$5 or colour\$5) nead* (trans\$3)) and ((select or choo\$5 or choo\$5) nead* (parameter\$3)) and ((color\$5 or colour\$5) with pxie\$3) and (inconcohrom\$5)		OR	ON	2010/03/11 10:38
58	62	SB and S57		OR	ON	2010/03/11 10:38
59	61	modification\$3 with candidate\$5 with parameter\$5)	US PGPLB; USPAT; USCOR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:39

60	3	S39 and S59	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:39
51	113	(jicloh55 or colour\$5) needs (tone\$5)) and ((select or chod\$5 or chod\$5) needs (parameter\$5)) and ((coloq\$5 or colour\$5) with phiel\$5) and (monochronis\$5) and (mage\$3 needs (convert\$5 or conver\$5))	USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:40
52	51	\$38 and \$51	USPGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:40
63	112	(color\$5 or colour\$5) near\$ (tran\$37) and (leelect or choo\$5 or choo\$5) near\$ (parameter\$\$9) and (color\$5 or colour\$5) with pixel\$5) and (monochronn\$5) and (mage\$3 near\$ (conver\$5 or conver\$59) and (loolor\$5 or colour\$5) near\$ imag\$5)	USPGPUB; USPAT; USOCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:42
64	51	33 ad 93	US PGPUB; USPAT; USOCR, FFPS; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2010/03/11 10:42
65	68	(color\$5 or colour\$5) neads (tron\$50) and (clear or choo\$5 or choo\$5) neads (parameter\$5)) and (color\$5 or colour\$5) with pix4\$5) and (monochron\$5 neads imag\$5) and (imag\$5 neads (conver\$5 or convert\$5 or convert\$5 or colour\$5) and (color\$5 or colour\$5) neads imag\$5) and (imag\$5 neads (conver\$5 or colour\$5) and (color\$5 or colour\$5) neads imag\$5)	SUSPGPUB; USPAT; USDCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:43
66	34	SB and 955	USPGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2010/03/11 10:43
67	10	(color\$5 or colour\$5) nead (tron\$50) and ((use\$3) nead (place\$50 and (mos\$50 or choos\$5) nead (parameter\$5)) and ((color\$5 or colour\$5) and ((monochron\$5 nead imag\$5) and (imag\$\$5 nead (monochron\$5 nead imag\$5) and (imag\$\$5 nead (monochron\$5 nead imag\$5) and (monochron\$5 nea	USPGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:44
68	5	SG and S7	US PGPUB; USPAT; USDCR, FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 10:44
89	61	(Sischin55 near9 Yezhirla55), In.	USPGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWIENT; IBM_TDB	OR	ON	2010/03/11 12:20
70	27	599 and ((cobrs3 or colour53) near5 tons(5)	USPGPUB; USPAT; USDCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 12:20
71	3	Set and ((cobr\$3 or colour\$3) neats tone\$3) and parameter\$3 with candida\$5)		OR	ON	2010/03/11 12:21

S72	1	393 and ((cobrs3 or colour53) nead5 tone(53) and (parameter(53 with candidatis5) and (imageS3 with (convertS5 or convers(59))	USPAPUR USPAT; USCOR, FFFS, EPC, MC, DEFINENT; IBM_TDB	OR .	ON	2010/03/11 12:24
S73	3	(S8) and ((cobr\$3 or colour\$3) neaf5 tore(\$5) and (parameter\$3 with candidat(5) and (monochrom(5))	(US POPUB) USPAT; USOOR; FFFS; EPC; PPC; DETA/(ENT); IBM_TOB	OR	ON	2010/03/11 12:24
S74	1	S89 and ((cobr(s) or colour(s)) nears tone(s)) and (parameter(s) with candidat(s)) and (monochrom(s)) and (user(s) nears intertas(s))	USPGPUB; USPAT; USDOR; FFPS; EPC; PPC; USPA/ENT; IBM_TDB	OR .	ON	2010/03/11 12:24
S75	5	593 and ((lodio \$3 or colour\$3) near5 tone\$3),dm.)	USPAPUB; USPAT; USDOR; FFFS; IPO; PO; DEFM/IPIT; IBM, TOB	OR	ON	2010/03/11 12:25
S76	1	S99 and (((colorS3 or colourS3) near5 toneS3) and (parameterS9 with candidatS9),c/m.)	USPGPUB; USPAT; USOCR FFPS; EPC; PPC; USFW(ENT; IBM_TDB	OR	ON	2010/03/11 12:25
\$77		(S8) and (parameterS3 with candidatS5)	(USPAPUB) USPAT; USDOR FFFS; EPC, PPC; USPA/EPIT; IBM_TOB	OR	ON	2010/03/11 12:26
S78	1	SSB and ((parameter)SP with cardidac(S) clm.)	(USPAPLIB) (USPAT) (USPAT) (USPAT) (USPAT) (USPAT) (USPAT) (USPAT) (USPAT)	OR	ON	2010/03/11 12:26

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		parameter\$3 and candidate\$3).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:18
S30	286	((parameter\$3 and candidate\$3) and (color\$3 or colour\$3)).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:19
	133	((parameter\$3 and candidate\$3) and (color\$3 or colour\$3) and (pixel\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:19
S82	5	(() parameter(\$3 and candidate(\$3)) and (color(\$3) or colour(\$3)) and (pixel(\$3)) and (user(\$3) with select(\$5) with parameter(\$5)), dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:20
S83	1	((parameter\$3 and candidate\$3) and (color\$3 or colour\$3) and (pixel\$3) and (user\$3 with select\$5 with parameter\$5) and (image\$3 with (convert\$5 or convers\$5))).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:20
S84	20	((parameter\$3 and candidate\$3) and (color\$3 or colour\$3) and (pixel\$3) and (image\$3 with (convert\$5 or convers\$5))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:24
S85	1	((parameter\$3 and candidate\$3) and (color\$3 or colour\$3) and (pixel\$3) and (image\$3 with (convert\$5 or convers\$5)) and (monochrom\$5)), dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:24
		(monochrom\$5 and ((color\$3 or colour\$3) near5 (tone\$3))).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:25
S87	20	(monochrom\$5 and ((color\$3 or colour\$3) near5 (tone\$3)) and (parameter\$5); dm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:50
	7	[monochrom\$5 and ((color\$3 or colour\$3) near5 (tone\$3)) and (parameter\$5) and (imag\$3 with (convert\$5 or convers\$5))).clm.	US-PGPUB; USPAT; UPAD			2010/03/11 11:51
S89	2	(monochrom\$5 and ((color\$3 or colour\$3) near5 (tone\$3)) and (parameter\$5) and (imag\$3 with (conver\$5 or conver\$5)) and (user\$3 near5 interfac\$5)).cim.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:52
S30	1	(monochrom\$5 and ((color\$3 or colour\$3) near5 (tone\$3)) and (parameter\$5) and (imag\$3 with (convert\$5 or conver\$5)) and (user\$3 near5 interfac\$5) and (candidat\$5)).clm.	US PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:54
S91	17667	(358/1.1,1.2,1.6,1.9,2.1,2.99,3.01,3.02,3.1,3.11,3.12,3.2,3.21,3.22,3.23,3.24,3.26,3.27,1.11,500,501,515,516,517,518,519,520,521,523,524,526,527,528,530), CCLS.	US PGPUB; USPAT; UPAD	OR	OFF	2010/03/11 11:55
992	6469	[382/162,163,164,1E5,166,167].CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/03/11 11:55
S#3	826	[399/39,54,112,184,183,298,321,344),CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/03/11 11:55
S94	1015	(347/115,172,232),CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/03/11 11:56
S95	23954	(SP1 αr S92 or S93 or S94	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:56
		955 and 579	US-PGPUB; USPAT; UPAD	ior	ON	2010/03/11 11:58
	58	(95 and 590	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:58
		(955 and S81	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:58
S99	1	955 and 982	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:58
S100	11	95 and 934	US PGPUB; USPAT; UPAD	OR	ON	2010/03/11 11:58

S101	70	95 and \$86	US-PGPU	R- I ISPAT	- LIPAN	ine	- ON	2010/03/11 11:59
	,			**********	*******			
S102	<u>(</u> 8	,995 and 987	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 11:59
S103		\$95 and \$98	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 11:59
S104	22	(Salshin§5 near9 Yoshida§5),in.	US PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:27
S105		S104 and ((color63 or colour\$3) near5 tone\$3)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:27
S106	H	5104 and ((color63 or colour\$3) near5 tone\$3) and (parameter\$3 with candidat\$5)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:28
S107	15	(S104 and ((color63 or colour\$3) near5 tone\$3) and (image\$3 with (convert\$5 or convers\$5))	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:29
S108	1	S104 and ((color63 or colour\$3) near5 tone\$3) and (parameter\$3 with candidat(\$5) and (monochrom\$5)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:30
S109	10	S104 and ((color63 or colour\$3) near5 tone\$3) and (image\$3 with (convert\$5 or convers\$5)) and (monochrom\$5)	US PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:31
S110	5	5104 and ((color63 or coloun\$3) near5 tone\$3) and (image\$3 with (convert\$5 or convers\$5)) and (monochrom\$5) and (parameter \$5)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:31
S111	3	(S104 and ((color63 or colour\$3) near5 tone\$3) and (image\$3 with (convert\$5 or convers\$5)) and (monochrom\$5) and (parameter\$5) and (candidat\$5)	US-PGPU	B; USPAT	; UPAD	OR.	ON	2010/03/11 12:32
S112	1	(\$104 and ((color63 or colour\$3) near5 tone\$3) and ((mage\$3 with (convert\$5 or convers\$5)) and ((monochrom\$5) and ((parameter\$5) with (candidat\$5))	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:32
S113	5	:5104 and (((color\$3 or colour\$3) near5 tone\$3).dm.)	US PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:33
S114	1	S104 and ((((color\$3 or colour\$3) near5 tone\$3) and (parameter\$3 with candidat\$5), dm.)	US PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:33
S115	[1	(\$104 and (parameter(\$3 with candidat(\$5))	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:33
S116	3	(\$104 and (parameter\$3 and candidat\$5)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:34
S117	3	S104 and ((parameter§3 and candidat§5).clm.)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:34
S118	1	S104 and ((parameter\$3 same candidat\$5).dm.)	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:34
S119	1	(\$104 and (parameter(\$3 same candidat(\$5))	US-PGPU	B; USPAT	; UPAD	OR	ON	2010/03/11 12:34

<sup>3/11/2010 12:57:31</sup> PM H:: Workspaces\ 10590572.03102010.1.wsp